

$\Delta(1900) S_{31}$ 

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^-) \text{ Status: } **$$

**OMITTED FROM SUMMARY TABLE**

Some obsolete results published before 1980 were last included in our 2006 edition, *Journal of Physics*, G **33** 1 (2006). Some further obsolete results published before 1984 were last included in our 2006 edition, *Journal of Physics*, G **33** 1 (2006).

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

 **$\Delta(1900)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1850 to 1950 (<math>\approx</math> 1900) OUR ESTIMATE</b>			
1920 $\pm$ 24	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
1890 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1908 $\pm$ 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1802 $\pm$ 87	VRANA	00	DPWA Multichannel
1918.5 $\pm$ 23.0	CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$

 **$\Delta(1900)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>140 to 240 (<math>\approx</math> 200) OUR ESTIMATE</b>			
263 $\pm$ 39	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
170 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
140 $\pm$ 40	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
48 $\pm$ 45	VRANA	00	DPWA Multichannel
93.5 $\pm$ 54.0	CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$

 **$\Delta(1900)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1780	<sup>1</sup> HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1870 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1795	VRANA	00	DPWA Multichannel
not seen	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
2029 or 2025	<sup>2</sup> LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$

**–2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
180±50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
58	VRANA	00	DPWA Multichannel
not seen	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
164 or 163	<sup>2</sup> LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$

**Δ(1900) ELASTIC POLE RESIDUE****MODULUS |r|**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10±3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

**PHASE  $\theta$** 

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+20±40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

**Δ(1900) DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	10–30 %
$\Gamma_2$ $\Sigma K$	
$\Gamma_3$ $N\pi\pi$	
$\Gamma_4$ $\Delta\pi$	
$\Gamma_5$ $\Delta(1232)\pi$ , <i>D</i> -wave	
$\Gamma_6$ $N\rho$	
$\Gamma_7$ $N\rho$ , <i>S</i> =1/2, <i>S</i> -wave	
$\Gamma_8$ $N\rho$ , <i>S</i> =3/2, <i>D</i> -wave	
$\Gamma_9$ $N(1440)\pi$ , <i>S</i> -wave	
$\Gamma_{10}$ $N\gamma$ , helicity=1/2	

**Δ(1900) BRANCHING RATIOS**

<u><math>\Gamma(N\pi)/\Gamma_{\text{total}}</math></u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$\Gamma_1/\Gamma$
<b>0.1 to 0.3 OUR ESTIMATE</b>				
0.41±0.04	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$	
0.10±0.03	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
0.08±0.04	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.33±0.10	VRANA	00	DPWA Multichannel	
0.28	CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$	

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1900) \rightarrow \Sigma K$	$(\Gamma_1 \Gamma_2)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
<0.03	CANDLIN 84	DPWA	$\pi^+ p \rightarrow \Sigma^+ K^+$

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1900) \rightarrow \Delta(1232)\pi$ , <i>D-wave</i>	$(\Gamma_1 \Gamma_5)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$+0.25 \pm 0.07$	MANLEY 92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(\Delta(1232)\pi, \textit{D-wave}) / \Gamma_{\text{total}}$	$\Gamma_5 / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$0.28 \pm 0.01$	VRANA 00	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1900) \rightarrow N\rho$ , <i>S=1/2, S-wave</i>	$(\Gamma_1 \Gamma_7)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$-0.14 \pm 0.11$	MANLEY 92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(N\rho, \textit{S=1/2, S-wave}) / \Gamma_{\text{total}}$	$\Gamma_7 / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$0.30 \pm 0.02$	VRANA 00	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1900) \rightarrow N\rho$ , <i>S=3/2, D-wave</i>	$(\Gamma_1 \Gamma_8)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$-0.37 \pm 0.07$	MANLEY 92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(N\rho, \textit{S=3/2, D-wave}) / \Gamma_{\text{total}}$	$\Gamma_8 / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$0.05 \pm 0.01$	VRANA 00	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1900) \rightarrow N(1440)\pi$ , <i>S-wave</i>	$(\Gamma_1 \Gamma_9)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$-0.16 \pm 0.11$	MANLEY 92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(N(1440)\pi, \textit{S-wave}) / \Gamma_{\text{total}}$	$\Gamma_9 / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
$0.04 \pm 0.01$	VRANA 00	DPWA	Multichannel

### $\Delta(1900)$ PHOTON DECAY AMPLITUDES

Papers on  $\gamma N$  amplitudes predating 1981 may be found in our 2006 edition, *Journal of Physics*, G **33** 1 (2006).

#### $\Delta(1900) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT
$-0.004 \pm 0.016$	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
$0.029 \pm 0.008$	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$

## $\Delta(1900)$ FOOTNOTES

- <sup>1</sup> See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of  $N$  and  $\Delta$  resonances as determined from Argand diagrams of  $\pi N$  elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.
- <sup>2</sup> LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

## $\Delta(1900)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
CANDLIN	84	NP B238 477	D.J. Candlin <i>et al.</i>	(EDIN, RAL, LOWC)
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
CHEW	80	Toronto Conf. 123	D.M. Chew	(LBL) IJP
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)